


08/22/00



1c691 U.S. PTO

08-23-00

A

Please type a plus sign (+) inside this box →

 Approved for use through 09/30/2000. OMB 0651-0032
 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Attorney Docket No.

First Inventor or Application Identifier

Schneider

Title *Method for determining whether a sequence is a sequence*

Express Mail Label No.

EK 952317500US

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1. ☒ * Fee Transmittal Form (e.g., PTO/SB/17)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification [Total Pages **25**]
(preferred arrangement set forth below)
- Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☐ Drawing(s) (35 U.S.C. 113) [Total Sheets **9**]
4. Oath or Declaration [Total Pages **34**]
- a. ☒ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))
(for continuation/divisional with Box 16 completed)
 - i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).

* NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

 ADDRESS TO: Assistant Commissioner for Patents
 Box Patent Application
 Washington, DC 20231

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☐ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☐ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
13. ☒ * Small Entity Statement(s) ☐ Statement filed in prior application, Status still proper and desired
(PTO/SB/09-12)
14. ☐ Certified Copy of Priority Document(s)
(if foreign priority is claimed)
15. ☐ Other:

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No:

Prior application information: Examiner Group / Art Unit:

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

17. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☐ Correspondence address below

Name

PATENT TRADEMARK OFFICE

Address

City

State

Zip Code

Country

Telephone

Fax

Name (Print/Type)

Eric Schneider

Registration No. (Attorney/Agent)

Signature

Date

8/22/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

**STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(b))--INDEPENDENT INVENTOR**

Docket Number (Optional)

Applicant, Patentee, or Identifier: Schneider, et al.

Application or Patent No.: _____

Filed or Issued: Herewith

Title: Method, Product, and Apparatus for using a non-query WRT component as a search request

As a below named inventor, I hereby state that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees to the Patent and Trademark Office described in:

- ☒ the specification filed herewith with title as listed above.
☐ the application identified above.
☐ the patent identified above.

I have not assigned, granted, conveyed, or licensed, and am under no obligation under contract or law to assign, grant, convey, or license, any rights in the invention to any person who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern, or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

- ☒ No such person, concern, or organization exists.
☐ Each such person, concern, or organization is listed below.

Separate statements are required from each named person, concern, or organization having rights to the invention stating their status as small entities. (37 CFR 1.27)

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

Eric Schneider
NAME OF INVENTOR

[Signature]
Signature of inventor

8/22/2000
Date

DANIEL V. HEINZ
NAME OF INVENTOR

[Signature]
Signature of inventor

8/22/2000
Date

Steven Schneider
NAME OF INVENTOR

[Signature]
Signature of inventor

8/22/2000
Date

**METHOD, PRODUCT, AND APPARATUS FOR USING A NON-QUERY URI
COMPONENT AS A SEARCH REQUEST**

5

Field of the Invention

This invention generally relates to search requests, and more specifically relates to a method and apparatus for using a non-query URI component as a search request.

10

Other Applications

This application claims the benefit of the following patent applications, which are hereby incorporated by reference:

- 15 1. U.S. Patent Application Ser. No. 09/532,500 filed March 21, 2000, by Schneider, entitled "Fictitious domain name method, product, and apparatus", which claims the benefit of U.S. Patent Application Ser. No. 09/525,350 filed March 15, 2000, by Schneider, entitled "Method for integrating domain name registration with domain name resolution" and claims the benefit of U.S.
- 20 Provisional Application Ser. No. 60/143,859 filed July 15, 1999, by Schneider entitled "Method and apparatus for generation, registration, resolution, and emulation of name space", now abandoned, U.S. Provisional Application Ser. No. 60/135,751 filed May 25, 1999, by Schneider entitled "Method and system for name space resolution", now abandoned and U.S. Provisional Application
- 25 Ser. No. 60/125,531 filed March 22, 1999, by Schneider entitled "Method and system for the emulation of name space", now abandoned.
2. U.S. Provisional Application Ser. No. 60/153,594 filed September 13, 1999, by Schneider entitled "Method and apparatus for using a portion of a URI to
- 30 select and display advertising."

3. U.S. Provisional Application Ser. No. 60/152,015 filed September 1, 1999, by Schneider, et al., entitled "Method and apparatus for using a portion of a URI as a search request."

5

Background of the Invention

The Internet is a vast computer network consisting of many smaller networks that span the world. A network provides a distributed communicating system of computers that are interconnected by various electronic communication links and computer software protocols. Because of the Internet's distributed and open
10 network architecture, it is possible to transfer data from one computer to any other computer worldwide. In 1991, the World-Wide-Web (WWW or Web) revolutionized the way information is managed and distributed.

The Web is based on the concept of hypertext and a transfer method known as
15 Hypertext Transfer Protocol (HTTP) which is designed to run primarily over a Transmission Control Protocol/Internet Protocol (TCP/IP) connection that employs a standard Internet setup. A server computer may issue the data and a client computer displays or processes it. TCP may then convert messages into streams of packets at the source, then reassemble them back into messages at
20 the destination. Internet Protocol (IP) handles addressing, seeing to it that packets are routed across multiple nodes and even across multiple networks with multiple standards. HTTP protocol permits client systems connected to the Internet to access independent and geographically scattered server systems also connected to the Internet.

25

Client side browsers, such as Netscape Navigator and/or Microsoft Internet Explorer (MSIE) provide graphical user interface (GUI) based client applications that implement the client side portion of the HTTP protocol. One format for information transfer is to create documents using Hypertext Markup Language
30 (HTML). HTML pages are made up of standard text as well as formatting codes that indicate how the page should be displayed. The client side browser reads

these codes in order to display the page. A web page may be static and requires no variables to display information or link to other predetermined web pages. A web page is dynamic when arguments are passed which are either hidden in the web page or entered from a client browser to supply the necessary inputs displayed on the web page. Common Gateway Interface (CGI) is a standard for running external programs from a web server. CGI specifies how to pass arguments to the executing program as part of the HTTP server request. Commonly, a CGI script may take the name and value arguments from an input form of a first web page which may be used as a query to access a database server and generate an HTML web page with customized data results as output that is passed back to the client browser for display.

The Web is a means of accessing information on the Internet that allows a user to "surf the web" and navigate the Internet resources intuitively, without technical knowledge. The Web dispenses with command-line utilities, which typically require a user to transmit sets of commands to communicate with an Internet server. Instead, the Web is made up of millions of interconnected web pages, or documents, which may be displayed on a computer monitor. Hosts running special servers provide the Web pages. Software that runs these Web servers is relatively simple and is available on a wide range of computer platforms including PC's.

A Uniform Resource Identifier (URI) is a compact string of characters for identifying an abstract or physical resource. URIs, is the generic set of all names and addresses that refer to objects on the Internet. URIs that refer to objects accessed with existing protocols are known as URLs. A URL is the address of a file accessible on the Internet. The URL contains the name of the protocol required to access the resource, a domain name, Fully Qualified Domain Name (FQDN), or IP address that identifies a specific computer on the Internet, and a hierarchical description of a file location on the computer. In addition, the last (optional) part of the URL may be a "?" followed by a query string having

name/value pairs for parameters (e.g. "?size=small&quantity=3") or a "#" followed by a fragment identifier indicating a particular position within the specified document.

- 5 The URI "http://www.example.com:80/index.html#appendix" is the concatenation of several components where "http:" is the scheme or protocol, "://www.example.com" is the FQDN having "www" as the host of the domain name "example.com", ":80" is the port connection for the HTTP server request, "index.html" is the filename located on the server, "#appendix" is the identifier to
- 10 display a fragment of the HTML file called "index". The URL "http://www.example.com" also retrieves an HTML file called "index" on a HTTP server called "example.com". By default, when either a port or filename is omitted upon accessing a HTTP server via a URL, the client browser interprets the request by connecting via port 80, and retrieving the HTML file called "index".

- 15 A domain name consists of two parts: a host and a domain. Technically, the letters to the right of the "dot" (e.g., tut.net) are referred to as Top Level Domains (TLDs), while hosts, computers with assigned IP addresses that are listed in specific TLD registries are known as second-level domains (SLDs). For the
- 20 domain name "tut.net", ".net" is the TLD, and "tut" is the SLD. Domain name space is the ordered hierarchical set of all possible domain names either in use or to be used for locating an IP address on the Internet. TLDs are known as top-level domains because they comprise the highest-order name space available on the Internet. Second-level domains, as well as third-level domains (3LDs) such
- 25 as "king.tut.net", are subsidiary to TLDs in the hierarchy of the Internet's DNS.

- The main use of a web browser location field is for locating URLs to access resources. Entering a URL in the location field of a web browser serves as a means to access that URL. Because the function of the location field is so
- 30 critical for accessing resources, the design of such location fields have rivaled much competition and innovation between existing web browser products.

Improvements to better track and organize sites of URLs that users have visited such as Bookmark folders, URL history, and the personal toolbar are all examples of functionality designed to help users navigate.

- 5 A more recent feature called Smart Browsing is integrated into Netscape Navigator that uses Internet Keywords so users can streamline the use of URLs and get fast access to web sites using the browser's location field. Any single or multiword strings typed into the browser's location field that does not include a "." are sent via HTTP to a server at "netscape.com". The keyword server pulls the
- 10 string and compares it to several separate lists of keyword-URL pairs. If the keyword system finds a match, it redirects the user's browser to the URL of the keyword-URL pair. Failing a match against the lists, the user's browser is redirected to a Netscape Search page with the typed string as the search query.
- 15 U.S. Provisional Application Ser. No. 60/143,859 filed July 15, 1999, by Schneider entitled "Method and apparatus for generation, registration, resolution, and emulation of name space", now abandoned, uses a domain name having a top level domain alias (TLDA) to simultaneously access and search a given resource demonstrating the combination of both resolution and search services.
- 20 For instance, when input is received and processed such as "http://example.44106", steps are performed to determine that ".44106" is not a resolvable TLD and may be processed instead as a search term. Steps may then be performed to translate input into a valid URI such as "http://example.com/weather.cgi?zip=44106". When the URI is accessed, a CGI
- 25 script called "weather" is executed passing the value "44106" for the name "zip", which in this case represents a zip code. By so doing a fictitious name is used to simultaneously access both a resource and search request.

This clearly demonstrates the need for methods of encouraging the creative use

30 of URIs to access resources. Accordingly, in light of the above, there is a strong

need in the art for a system and method to improve how resources and content may be accessed.

Summary of the Invention

5 Briefly, the present invention allows URI components to be used as a search term in a query or search request. The invention allows for the non-query portion of a first URI to be used in the query portion of a second URI to generate dynamic content. The present invention allows for a shorter URI to be created on the fly in real-time that accesses content of a longer URI.

10

In general, in accordance with the present invention a method for locating a network resource from a first identifier includes the steps of determining whether the first identifier is accessible, accessing the first identifier in response to determining that the first identifier is accessible, generating a second identifier in response to determining that the first identifier is not accessible, wherein said
15 second identifier is generated by retrieving information from one of a user modifiable configuration settings, template, GO LIST, name translation table, and registry, and accessing said second identifier in response to generating said second identifier.

20

In accordance with another aspect of the present invention a method for locating a network resource from a first identifier having a valid accessible first URI includes the steps of parsing at least one non-query URI component from the first URI, generating a valid accessible second URI having a query component
25 that corresponds to the first URI, and simultaneously accessing both the first URI and said second URI.

In accordance with yet another aspect of the present invention a method for locating a network resource from a first identifier having a valid first URI includes
30 the steps of determining whether the first URI is accessible, accessing the first URI in response to determining that the first URI is accessible, parsing at least

one non-query URI component from the first URI in response to determining that the first URI is not accessible, generating a valid second URI having a query component that corresponds to the first URI, and accessing said second URI.

- 5 In accordance with yet additional aspects of the present invention, an apparatus which implements substantially the same functionality in substantially the same manner as the methods described above is provided.

10 In accordance with other additional aspects of the present invention, a computer-readable medium that includes computer-executable instructions may be used to perform substantially the same methods as those described above is provided.

15 The foregoing and other features of the invention are hereinafter fully described and particularly pointed out in the claims. The following description and the annexed drawings set forth in detail one or more illustrative aspects of the invention, such being indicative, however, of but one or a few of the various ways in which the principles of the invention may be employed.

Brief Description of the Drawings

20 Fig. 1a is a block diagram of an exemplary distributed computer system in accordance with the present invention.

Fig. 1b is a block diagram illustrating exemplary information records stored in memory in accordance with the present invention.

25

Fig. 2 is a flowchart illustrating the steps performed by a prior art system for accessing a URI.

30 Fig. 3 is a flowchart illustrating the steps performed for generating a valid URI in accordance with the present invention.

Fig. 4 is a flowchart illustrating the steps performed for generating a valid URI in response to determining that an existing valid URI is inaccessible in accordance with the present invention.

- 5 Fig. 5 is a flowchart illustrating the steps performed for generating a frame having an accessible URI in accordance with the present invention.

Fig. 6 is a flowchart illustrating the steps performed for creating files or directories as needed to form an accessible URI in accordance with the present
10 invention.

Fig. 7 is a flowchart illustrating the steps performed for extracting a domain to be used as a search request in accordance with the present invention.

- 15 Fig. 8 is a diagram depicting how results may be displayed in a web browser in accordance with the present invention.

Detailed Description of the Invention

The present invention will now be described with reference to the drawings,
20 wherein like reference numerals are used to refer to like elements throughout.

Turning first to the nomenclature of the specification, the detailed description that follows represents processes and symbolic representations of operations by conventional computer components, including a local processing unit, memory
25 storage devices for the local processing unit, display devices, and input devices. Furthermore, these processes and operations may utilize conventional computer components in a heterogeneous distributed computing environment, including remote file servers, computer servers, and memory storage devices. These distributed computing components may be accessible to the local processing unit
30 by a communication network.

002220" 18224960

The processes and operations performed by the computer include the manipulation of data bits by a local processing unit and/or remote server and the maintenance of these bits within data structures resident in one or more of the local or remote memory storage devices. These data structures impose a physical organization upon the collection of data bits stored within a memory storage device and represent electromagnetic spectrum elements.

A process may generally be defined as being a sequence of computer-executed steps leading to a desired result. These steps generally require physical manipulations of physical quantities. Usually, though not necessarily, these quantities may take the form of electrical, magnetic, or optical signals capable of being stored, transferred, combined, compared, or otherwise manipulated. It is conventional for those skilled in the art to refer to these signals as bits or bytes (when they have binary logic levels), pixel values, words, values, elements, symbols, characters, terms, numbers, points, records, objects, images, files, directories, subdirectories, or the like. It should be kept in mind, however, that these and similar terms should be associated with appropriate physical quantities for computer operations, and that these terms are merely conventional labels applied to physical quantities that exist within and during operation of the computer.

It should also be understood that manipulations within the computer are often referred to in terms such as adding, comparing, moving, positioning, placing, illuminating, removing, altering, etc., which are often associated with manual operations performed by a human operator. The operations described herein are machine operations performed in conjunction with various input provided by a human operator or user that interacts with the computer. The machines used for performing the operation of the present invention include local or remote general-purpose digital computers or other similar computing devices.

30

In addition, it should be understood that the programs, processes, methods, etc. described herein are not related or limited to any particular computer or apparatus nor are they related or limited to any particular communication network architecture. Rather, various types of general-purpose machines may be used with program modules constructed in accordance with the teachings described herein. Similarly, it may prove advantageous to construct a specialized apparatus to perform the method steps described herein by way of dedicated computer systems in a specific network architecture with hard-wired logic or programs stored in nonvolatile memory, such as read only memory.

Fig. 1a illustrates an exemplary system for providing a distributed computer system 100 in accordance with one aspect of the present invention and may include client computers or any network access apparatus 110 connected to server computers 120 via a network 130. The network 130 may use Internet communications protocols (IP) to allow clients 110 to communicate with servers 120. The network access apparatus 110 may include a modem or like transceiver to communicate with the electronic network 130. The modem may communicate with the electronic network 130 via a line 116 such as a telephone line, an ISDN line, a coaxial line, a cable television line, a fiber optic line, or a computer network line. Alternatively, the modem may wirelessly communicate with the electronic network 130. The electronic network 130 may provide an on-line service, an Internet service provider, a local area network service, a wide area network service, a cable television service, a wireless data service, an intranet, a satellite service, or the like.

The client computers 110 may be any network access apparatus including hand held devices, palmtop computers, personal digital assistants (PDAs), notebook, laptop, portable computers, desktop PCs, workstations, and/or larger/smaller computer systems. It is noted that the network access apparatus 110 may have a variety of forms, including but not limited to, a general purpose computer, a network computer, an internet television, a set top box, a web-enabled

telephone, an internet appliance, a portable wireless device, a game player, a video recorder, and/or an audio component, for example.

Each client 110 typically includes one or more processors 166, memories 168,
5 and input/output devices 170. An input device may be any suitable device for the user to give input to client computer system 110, for example: a keyboard, a 10-key pad, a telephone key pad, a light pen or any pen pointing device, a touchscreen, a button, a dial, a joystick, a steering wheel, a foot pedal, a mouse, a trackball, an optical or magnetic recognition unit such as a bar code or
10 magnetic swipe reader, a voice or speech recognition unit, a remote control attached via cable or wireless link to a game set, television, and/or cable box. A data glove, an eye-tracking device, or any MIDI device may also be used. A display device may be any suitable output device, such as a display screen, text-to-speech converter, printer, plotter, fax, television set, or audio player. Although
15 the input device is typically separate from the display device, they may be combined; for example: a display with an integrated touchscreen, a display with an integrated keyboard, or a speech-recognition unit combined with a text-to-speech converter.

20 The servers 120 may be similarly configured. However, in many instances server sites 120 include many computers, perhaps connected by a separate private network. In fact, the network 130 may include hundreds of thousands of individual networks of computers. Although client computers 110 are shown separate from the server computers 120, it is understood that a single computer
25 might perform the client and server roles. Those skilled in the art will appreciate that the computer environment 100 shown in Fig. 1a is intended to be merely illustrative. The present invention may also be practiced in other computing environments. For example, the present invention may be practiced in multiple processor environments wherein the client computer includes multiple
30 processors. Moreover, the client computer need not include all of the input/output devices as discussed above and may also include additional

devices. Those skilled in the art will appreciate that the present invention may also be practiced via Intranets and more generally in distributed environments in which a client computer requests resources from a server computer.

- 5 During operation of the distributed system 100, users of the clients 110 may desire to access information records 122 stored by the servers 120 while utilizing, for example, the Web. Furthermore, such server systems 120 may also include one or more search engines having one or more databases 124. The records of information 122 may be in the form of Web pages 150. The pages
- 10 150 may be data records including as content plain textual information, or more complex digitally encoded multimedia content, such as software programs, graphics, audio signals, videos, and so forth. It should be understood that although this description focuses on locating information on the World-Wide-Web, the system may also be used for locating information via other wide or
- 15 local area networks (WANs and LANs), or information stored in a single computer using other communications protocols.

- The clients 110 may execute Web browser programs 112, such as Netscape Navigator or MSIE to locate the pages or records 150. The browser programs
- 20 112 enable users to enter addresses of specific Web pages 150 to be retrieved. Typically, the address of a Web page is specified as a URI or more specifically as a URL. In addition, when a page has been retrieved, the browser programs 112 may provide access to other pages or records by "clicking" on hyperlinks (or links) to previously retrieved Web pages. Such links may provide an automated
- 25 way to enter the URL of another page, and to retrieve that page.

- Fig. 1b illustrates a block diagram of a processor 166 coupled to a storage device such as memory 168 and to input/output devices 170 in a client 110 and/or server 120 computing system. Stored in memory 168 may be information
- 30 records 122 having any combination of exemplary content such as lists, files, and databases. Such records may include for example: user modifiable

configuration settings 174, identifier generation routines 176, FDN registry 178, TLD cache 180, prefix database 182, Templates 184, GO List 186, name translation table 188, and advertising cache 190. These information records may be further introduced and discussed in more detail throughout the disclosure of this invention.

Fig. 2 is a flowchart illustrating the steps performed by a prior art system for locating a network resource from an identifier by accessing a URI. A device such as a network access apparatus 110, servlet, applet, stand-alone executable program, or user interface element such as a text box object, command line, speech to text interface, location field 814 of a web browser 112, may receive and parse input such as text or voice in step 210. It then may be determined in step 215 whether the input 210 is a URI. If the input is a URI, then an attempt may be made in step 220 to access the URI. The URI may be accessed when it is determined in step 222 that the URI is accessible. If the input is not a URI, then it may be determined in step 225 whether a URI can be generated from the input (e.g., if a scheme is missing the prefix "http://" or another scheme prefix may be concatenated to input). If so, then a URI is generated 230 and an attempt may be made in step 220 to access the URI. If the URI can not be generated or accessed, then a message indicating that the URI can not be generated or accessed may be displayed in step 235.

Fig. 3 is a flowchart illustrating the steps performed for generating a valid URI. When it is determined in step 225 that a URI can not be generated from the input 210 in accordance with methods known to one of ordinary skill in the art, then it may be determined in step 310 whether it is configured to determine whether other methods may be applied to access a valid URI corresponding to input. If configuration 174 is not enabled, then a message indicating that the URI can not be generated may be displayed in step 235. However, when configuration is enabled, then at least one other method may be applied in step 315 in sequence or parallel including methods explained in U.S. Patent Application Ser. No.

09/532,500 filed March 21, 2000, by Schneider, entitled "Fictitious domain name method, product, and apparatus" such as retrieving information from user modifiable configuration settings 174, template 184, GO LIST 186, name translation table 188, and registry 178 (e.g., processing a FDN, processing a
5 TLDA as a search request, and multiple accessibility from a plurality of generated URIs, etc.).

Fig. 4 is a flowchart illustrating the steps performed for generating a valid URI in response to determining that an existing valid URI is inaccessible. When a valid
10 URI is determined in step 222 to be not accessible, then a valid URI may be generated in step 410 to access content by extracting keywords from the non-query component URI (e.g., directory, domain, port, or fragment, etc.) of the inaccessible URI and using such keywords as a search request or as the query portion of the generated valid URI. After valid URI generation in step 410 an
15 attempt may be made in step 220 to access the URI.

In effect, the non-query portion of a first URI may be used in the query portion of a second URI to generate dynamic content. Validity of URI syntax is explained in T. Berners-Lee, "Informational RFC (Request for Comment) 1630: Universal
20 Resource Identifiers in WWW--A Unifying Syntax for the Expression of Names and Addresses of Objects on the Network as used in the World-Wide Web", Internet Engineering Task Force (IETF), June 1994, "http://www.faqs.org/rfcs/rfc1630.html", which is herein incorporated by reference.

25 Typically, when a HTTP request is submitted to access a URI that does not exist, an error 404 code is returned from the requested web server, and in turn, a script may be executed to redirect and display a gen-eric web page informing the user of the error 404 code. A modification may be made to the script to generate an
30 accessible URI by creating the appropriate directories or files on the web server in response to an error 404 code (or any other applicable error code from the

300 series, 400 series, or 500 series) such that when the HTTP request is resubmitted the URI exists and is accessible.

Fig. 5 is a flowchart illustrating the steps performed for generating a frame having an accessible URI. After valid URI generation in step 410, a script may be executed in step 510 to create a second accessible URI by adding the appropriate directories and files. The content of the newly created file may include at least one frame that displays the content of the valid generated URI. After the second accessible URI is created, an attempt may be made in step 220 to access the second URI.

Fig. 6 is a flowchart illustrating the steps performed for creating files or directories as needed to form an accessible URI. When it is determined in step 222 that a valid URI is not accessible it may then be further determined in step 610 whether the URI has the minimum form of "scheme://SLD.TLD/FLD" where the domain name is "SLD.TLD" and the path is "/FLD", which in this case represents a first level directory (FLD). If the URI is not of the minimum form then steps (such as 410 and/or 510) may be performed. When it is determined in step 610 that the URI is of the minimum form, then it may be determined in step 615 whether the FLD exists. If the FLD exists, then it may be further determined in step 620 whether a file exists within the FLD. If a file exists, then it may be determined in step 625 whether the content of the file requires modification (e.g., META tag for purpose of URI redirection). If modification is needed then the content of the file may be modified in step 630 as necessary. If the FLD does not exist, then a FLD may be created in step 635. When the FLD is created or when the FLD exists but a file within the FLD does not exist, then a file within the FLD may be created in step 640. When it is determined in step 620 that the file already exists and does not need modification in step 625 or the file is created in step 640 or the existing file is modified in step 635 then a second URI may be generated in step 645 including the FLD as part of a search

request. After the accessible URI is created, an attempt may be made in step 220 to access the URI.

For example, a device receives the input "http://update.to/news". When it is
5 determined that the input is a valid URL (URL is a subset of a URI), a HTTP GET request is submitted to retrieve its content. A "404 error code" is received in response to the request indicating that no such URL exists. As practiced by those skilled in the art, the "404 error code" is commonly redirected to display a gen-eric informative page alerting the user that no such URL exists. Advantage
10 may be taken by modifying the redirect script.

The modified script may be executed upon the "404 error code" and determines that a "/news" directory does not exist and is created. Furthermore, an "index.htm" is created in the "news" directory serving as a default file for the URL
15 listed above. The content of the file includes a <META> tag which may be used to redirect the URL to another URL such as "http://update.to/cgi-bin/update.cgi?search=news" which serves as a dynamic output.

For instance, the input "update.to/news" becomes equivalent to
20 "http://update.to/news/index.htm" and includes within the "index.htm" file the following <META> tag:

<META HTTP-EQUIV=Refresh CONTENT="5; URL=http://update.to/cgi-bin/update.cgi?search=news">

which communicates to a device that interprets HTML to load the URL
25 "http://update.to/cgi-bin/update.cgi?search=news" 5 seconds after the current document "http://update.to/news/index.htm" has finished loading. Advertising may be displayed by selecting an ad from an advertising cache 190 that corresponds to any URI components or the like before automatic URI redirection. Advertisement selection is explained in U.S. Provisional Application Ser. No.
30 60/153,594 filed September 13, 1999, by Schneider entitled "Method and apparatus for using a portion of a URI to select and display advertising." In

another example, the content of the file may include a <FRAME> tag, which may be used to access content from "http://update.to/cgi-bin/update.cgi?search=news".

- 5 In effect, shorter URLs may be generated in real time or on-the-fly when necessary and used as a substitute or proxy for longer URLs. Though any filename may be used, it is a preferred aspect to use "index.htm" as a frame or redirect so the proxy URL is even shorter in string length. A shorter URL makes it easier for a user to remember the URL for future use. The invention is not
- 10 limited to using only a FLD as a search request. Any directory or combination of directory levels may be either generated on the fly or used as a search request. In addition to using the directory portion of a URI as a search request, a domain (e.g., SLD) or any combination of domain levels may in turn be used to generate a query as well. For example, a subdomain may be generated to create the
- 15 FQDN "news.update.to" having the minimum form of "scheme://3LD.SLD.TLD", which may be used to access content from "http://update.to/cgi-bin/update.cgi?search=news".

- Fig. 7 is a flowchart illustrating the steps performed for extracting a domain to be
- 20 used as a search request. When the input 210 is a valid 215 URI or a valid URI is generated in step 230 and the configuration settings 174 indicate that domain identifier extraction may be used (e.g., SLD) then a script may be executed to extract in step 710 the SLD from the valid URI (215, 230) and a second URI may be generated in step 715 by using the SLD as part of a search request. The
- 25 script generates a web page having two frames. The first frame links to the valid URI and the second frame links to the second URI which displays content when accessed relating to the use of SLD as a keyword in a search request.

- Fig. 8 is a diagram depicting how results may be displayed in a web browser. A
- 30 client 110 web browser 112 having a web page 810 is used to connect to a server 120 via the Internet 130 that runs a CGI script 812. The location field of

Another web page 810' (as discussed in Fig. 7) having a location field that is not suppressed may be displayed by using a different CGI script 812. A URL GET request may be generated from the input and the browser 112 forwards the request to a server 120, which processes the request by executing a CGI script 812 to determine accessibility. An accessible URI may be generated and the requested page 150 is sent to the browser 112. The content 150 of the URI may be displayed in a first frame 818 of the web page 810' whereas the content of the second frame 820 may be dynamically generated by corresponding the extracted SLD from the URI as a search term in a second URI. By using the steps illustrated in Fig. 7, when a first URI "http://www.example.com" is received as input, a script extracts "example" from the URI and generates a second URI "http://search.yahoo.com/bin/search?p=example". Both the first URI and second URI are generated as frames and displayed as a web page 810'.

Though the above aspects demonstrate how URIs may be accessed based upon a web-based version of a location field, similar teachings may be applied to

those skilled in the art by providing a user interface element such as a text box object as input. The text box object may be located anywhere and on any web page including a text box that may be embedded or displayed as part of an on-line advertisement. The text box object may be used in a stand-alone application or stored on magnetic and/or optical media that may be non-volatile, writable, removable, or portable. The text box object may be incorporated as an applet or servlet and embedded in other applications. The text box may be integrated in the task bar or any part of the GUI's OS, or the OS bypassed and a user interface element overlaid as a graphic on a display device based on modifications to a video card and/or its associated firmware or software drivers. A command line text box may be further overlaid as an interactive object in other embodiments such as Internet television, cable television, digital television, or interactive television through an Internet appliance or set top box.

Those skilled in the art may make and use software program that functions as a browser plug-in. Such a program may be downloaded and installed for integration into the command line of a device or location field 154 of a browser program 112. Modifying the source code of the browser program 112 itself may be more desirable, in effect, enabling tens of millions of users to take advantage of more creative ways to use input as a means to access a valid URI.

Although the invention has been shown and described with respect to a certain preferred aspect or aspects, it is obvious that equivalent alterations and modifications will occur to others skilled in the art upon the reading and understanding of this specification and the annexed drawings. In particular regard to the various functions performed by the above described items referred to by numerals (components, assemblies, devices, compositions, etc.), the terms (including a reference to a "means") used to describe such items are intended to correspond, unless otherwise indicated, to any item which performs the specified function of the described item (e.g., that is functionally equivalent), even though not structurally equivalent to the disclosed structure which performs the function

in the herein illustrated exemplary aspect or aspects of the invention. In addition, while a particular feature of the invention may have been described above with respect to only one of several illustrated aspects, such feature may be combined with one or more other features of the other aspects, as may be
5 desired and advantageous for any given or particular application.

The description herein with reference to the figures will be understood to describe the present invention in sufficient detail to enable one skilled in the art to utilize the present invention in a variety of applications and devices. It will be
10 readily apparent that various changes and modifications could be made therein without departing from the spirit and scope of the invention as defined in the following claims.

003220-02200

What is claimed is:

1 A method for locating a network resource from a first identifier comprising the steps of:

5 determining whether the first identifier is accessible;
accessing the first identifier in response to determining that the first identifier is accessible;
generating a second identifier in response to determining that the first identifier is not accessible, wherein said second identifier is generated by retrieving
10 information from one of a registry, template, GO LIST, name translation table, and user modifiable configuration settings, and,
accessing said second identifier in response to generating said second identifier.

2. A method, as set forth in claim 1, further including the step of inputting the
15 first identifier from a user interface element.

3. A method, as set forth in claim 2, wherein said step of inputting the first identifier from a user interface element further includes the step of inputting the first identifier into one of a browser location field, text box, command line, and
20 speech to text interface.

4. A method, as set forth in claim 1, wherein the first identifier is a valid first Uniform Resource Identifier (URI) and said second identifier is a valid second URI.
25

5. A method, as set forth in claim 4, further including the steps of determining whether said first URI is accessible, accessing said first URI in response to determining that said first URI is accessible, parsing at least one non-query URI component from said first URI in response to determining that
30 said first URI is not accessible, generating said second URI having a query

component that corresponds to said non-query URI component of said first URI,
and accessing said second URI.

6. A method, as set forth in claim 5, further including the steps of generating
5 a valid third URI that corresponds to said second URI, and accessing said third
URI.

7. A method, as set forth in claim 6, wherein said step of accessing said third
URI further includes the step of accessing content from said second URI.

10

8. A method, as set forth in claim 6, wherein the string length of said third
URI is less than the string length of said second URI.

9. A method, as set forth in claim 7, wherein said step of accessing content
15 from said second URI further includes the step of one of a redirecting said third
URI to said second URI and generating a frame in the content of said third URI
that corresponds to said second URI.

10. A method, as set forth in claim 7, wherein said step of redirecting said
20 third URI to said second URI further includes the step of delaying said redirection
to display advertising that corresponds to URI components.

11. A method, as set forth in claim 6, wherein said third URI is of the minimum
form "scheme://SLD.TLD/FLD/index.htm" whereby SLD.TLD is a domain name,
25 FLD is a first level directory path, and index.htm is a default file.

12. A method, as set forth in claim 11, wherein said step of generating said
third URI further includes the steps of determining whether said FLD and said
default file exists and creating said FLD and said default file in response to
30 determining that said FLD and said default file does not exist.

13. A method, as set forth in claim 12, wherein said step of creating said default file further includes the step of corresponding said default file to said second URI.

5 14. A method, as set forth in claim 6, wherein said third URI is of the minimum form "scheme://3LD.SLD.TLD/index.htm" whereby, 3LD is a subdomain.

15. A method for locating a network resource from a first identifier having a valid accessible first URI comprising the steps of:

10 parsing at least one non-query URI component from the first URI;
generating a valid accessible second URI having a query component that corresponds to said non-query URI component of the first URI; and,
accessing the first URI and said second URI.

15 16. A method, as set forth in claim 15, wherein said non-query URI component of the first URI and said query component of said second URI is a domain identifier.

17. A method, as set forth in claim 15, further including the step of inputting
20 the first identifier from a user interface element.

18. A method, as set forth in claim 17, wherein said step of inputting the first identifier from a user interface element further includes the step of inputting the first identifier into one of a browser location field, text box, command line, and
25 speech to text interface.

19. An apparatus for locating a network resource from a first identifier having a valid first URI comprising:
a processor;
30 a memory coupled to said processor;
a browser type program;

means for determining whether the first URI is accessible;
means for accessing the first URI in response to determining that the first URI is accessible;
means for parsing at least one non-query URI component from the first URI in
5 response to determining that the first URI is not accessible;
means for generating a valid second URI having a query component that corresponds to said non-query URI component of the first URI; and,
means for accessing said second URI.

- 10 20. A computer program product for locating a network resource from a first identifier having a valid first URI comprising:
a browser type program for retrieving content from the network;
means for determining whether the first URI is accessible;
means for accessing the first URI in response to determining that the first URI is
15 accessible;
means for parsing at least one non-query URI component from the first URI in response to determining that the first URI is not accessible;
means for generating a valid second URI having a query component that corresponds to said non-query URI component of the first URI; and,
20 means for accessing said second URI.

[illegible]

5




Fig. 1a





Fig. 1b



Prior Art
Fig. 2




Fig. 3

From 222
URI
accessible? - No




Fig. 4

From 410

Generate a valid URI to access content by
extracting keywords from the non-query
component of the inaccessible URI and using
such keywords as a search request or as the
query portion of the generated valid URI

510

Create a second URI with
at least one frame that
accesses the content of the
generated valid URI

To 220
Attempt to
access URI

Fig. 5

To 410

Generate a valid URI to access content by extracting keywords from the non-query component of the inaccessible URI and using such keywords as a search request or as the query portion of the generated valid URI




Fig. 6

From 215/230
Valid URI? -
Yes




Fig. 7





Fig. 8

Please type a plus sign (+) inside this box → 

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63) <input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)	Attorney Docket Number	
	First Named Inventor	Schneider
	COMPLETE IF KNOWN	
	Application Number	/
	Filing Date	8/22/2000
	Group Art Unit	
	Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Method, product, and apparatus for using a non-query URI Component as a search request

the specification of which (Title of the Invention)

☒ is attached hereto
OR

☐ was filed on (MM/DD/YYYY) as United States Application Number or PCT International

Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.
60/152,015	09/01/1999	
60/153,594	09/13/1999	
09/532,500	03/21/2000	

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → 

PTO/SB/01 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)
09 / 532,500	03/21/2000	

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number

OR

☐ Registered practitioner(s) name/registration number listed below

Place Customer
Number Bar Code
Label here

Name	Registration Number	Name	Registration Number

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.


Direct all correspondence to: ☒ Customer Number or Bar Code Label



OR ☐ Correspondence address below

Name	24226				
Address	PATENT TRADEMARK OFFICE				
Address					
City		State		ZIP	
Country		Telephone		Fax	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])		Family Name or Surname			
Eric		Schneider			
Inventor's Signature				Date	8/22/2000
Residence: City	University Heights	State	OH	Country	USA
Post Office Address	13944 Cedar Road #258				
Post Office Address					
City	Univ. Hts.	State	Ohio	ZIP	44118
				Country	USA

☒ Additional inventors are being named on the supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto

Please type a plus sign (+) inside this box →



PTO/SB/02A (3-97)
Approved for use through 9/30/98. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.



DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 1 of 1

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Steven				Schneider			
Inventor's Signature						Date	
Residence: City	San Francisco	State	CA	Country	USA	Citizenship	USA
Post Office Address	750 La Playa # 710						
Post Office Address							
City	San Francisco	State	CA	ZIP	94121	Country	USA
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Daniel U.				Heintz			
Inventor's Signature						Date	
Residence: City	Cleveland Heights	State	OH	Country	USA	Citizenship	USA
Post Office Address	3591 Fairmount Blvd.						
Post Office Address							
City	Cleveland Heights	State	OH	ZIP	44118	Country	USA
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature						Date	
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

